



## PDR-6000

### PREMIUM PIPE DOPE REMOVER

#### Description

PDR-6000 is a proprietary blend of fast-acting solvents designed for the removal of pipe dope and hydrocarbon residues from casing and workstring in a minimum amount of contact time. .

It is also very effective in removing diesel and synthetic base muds. PDR-6000 is a great alternative to PDR-4000 when higher flash points are needed. Used as directed, PDR-6000 will remove pipe dope and assist in the removal of solids and particulate matter, including iron scale, which could severely affect well production if not removed prior to completion operations.

#### Typical Physical Properties

Appearance	Red Liquid
Odor	Mild Citrus,
Specific Gravity @ 60EF	0.845
Density (lbs /gallon)	7.04
Flash Point	>145°F (TCC)
Solubility	Oil Soluble
pH	NA

#### Advantages

- PDR-6000 was specifically formulated to replace the more hazardous products commonly used in the past while increasing the flash point. PDR-6000 is safer to human health, easier to handle, and is an effective alternative to aromatic solvents. No known carcinogens or materials that produce chronic health effects are used in PDR-6000 such as chlorinated hydrocarbons, low flash point alcohols, benzene, toluene, or xylene.
- PDR-6000 is environmentally friendly containing no heavy metals, caustics, and is rapidly biodegradable. No components are listed on SARA Title III, Section 302 Table.
- PDR- 6000 contains no harsh, abrasive or reactive constituents. No surface damage to metals including steel, aluminum, iron, bronze, etc should be realized with the use of this product.

#### Application

Please consult a Rig-Chem Representative for an engineered recommendation.

#### Handling

Improper handling of this product can be injurious to workers. Observe all safety precautions shown on the label and in the Material Safety Data Sheet.